

SECTION 1: Identification**1.1 Product identifier****Product name** H-3814**1.2 Other means of identification**

Manometer Fluid

1.3 Recommended use of the chemical and restrictions on use

Analytical Testing Reagent

1.4 Supplier's details**Name** Humboldt Manufacturing Co.
Address 875 Tollgate Road, Elgin IL 60123**Telephone** Non-Emergency: (708) 456-6300**1.4 Manufacturer's details****Name** MCI Masters Company Inc.
Address 890 Lively Blvd., Wood Dale IL 60191**Telephone** Non-Emergency: 630-238-9292**1.5 Emergency phone number(s)** **800-424-9300 CHEMTREC®****SECTION 2: Hazard identification****General hazard statement**

To the best of our knowledge, this Safety Data Sheet is prepared to comply with US OSHA 29 CFR 1910.1200 and other governmental agencies both domestic and foreign. Hazard and precautionary statements are based on maximum listed concentrations of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200) and/or other governmental agencies.

2.1 Classification of the substance or mixture**GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)**

- Aspiration hazard, Cat. 1
- Skin corrosion/irritation, Cat. 2B
- Eye damage/irritation, Cat. 2A

2.2 GHS label elements, including precautionary statements**Pictogram****Health hazard****Irritant****Signal word** **Danger****Hazard statement(s)**

H304
H315
H319

May be fatal if swallowed and enters airways
Causes skin irritation
Causes serious eye irritation

Precautionary statement(s)

P261

Avoid breathing dust/fume/gas/mist/vapors/spray.

P264

Wash hands thoroughly after handling.

P270

Do not eat, drink or smoke when using this product.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312

IF SWALLOWED: Call a POISON CENTER /doctor, if you feel unwell.

P301+P330+P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352

IF ON SKIN: Wash with plenty of water.

P304+P340

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P332+P313

If skin irritation occurs: Get medical advice/attention.

P337+P313

If eye irritation persists: Get medical advice/attention.

P362+P364

Take off contaminated clothing and wash it before reuse.

P501

Dispose of contents/container according to state and local regulations

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Components****1. Mineral oil**

Concentration

> 99 % (weight)

Other names / synonyms

Paraffin oils. Liquid hydrocarbons from petroleum; Paraffinum liquidum;
Paraffinum liquidum / paraffinum perliquidum; White mineral oil (petroleum);
White mineral oil, petroleum

EC no.

232-455-8

CAS no.

8042-47-5

Aspiration hazard, Cat. 1A

Skin corrosion/irritation, Cat. 2B

Eye corrosion/irritation, Cat. 2A

H304 – May be fatal if swallowed or enter airways.

H315-Causes skin irritation

H319-Causes serious eye irritation

SECTION 4: First-aid measures**4.1 Description of necessary first-aid measures**

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.
Move out of dangerous area.

If inhaled

Remove person to fresh air and keep comfortable for breathing. Call a
poison center or doctor if you feel unwell.
Acute and delayed symptoms and effects: May cause respiratory irritation.
Signs/symptoms may include burning pain in the nose and throat, coughing.

In case of skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower
for at least 15 minutes. Call a poison center or doctor if irritation develops or
persists. Wash contaminated clothing before reuse.
Acute and delayed symptoms and effects: Causes skin irritation.
Signs/symptoms may include localized redness, swelling, itching.

In case of eye contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention/advice. Acute and delayed symptoms and effects: Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing.
If swallowed	Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Never give anything by mouth to an unconscious person. Call a doctor if you feel unwell. Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

4.3 Indication of immediate medical attention and special treatment needed, if necessary

After first aid, get appropriate in-plant, paramedic, or community medical support.

SECTION 5: Fire-fighting measures**5.1 Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Specific hazards arising from the chemical

None known other than material can splatter above 100°C/212°F.

5.3 Special protective actions for fire-fighters

Avoid any skin contact. Effects of contact or inhalation may be delayed. Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may be corrosive and/or toxic and cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear respiratory protection if necessary. Avoid breathing gas, mist, vapors, or spray. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Stop leak if you can do it without risk. Sweep up and shovel into suitable containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Do not swallow. Avoid breathing mist, vapors, or spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. See Section 8 for information on Personal Protective Equipment.

7.2 Conditions for safe storage, including any incompatibilities

Store away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of the reach of children.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****1. Mineral oil (CAS: 8042-47-5 EC: 232-455-8)**

TWA (Inhalation): 5 mg/m³; USA (ACGIH)

ST (Inhalation): 10 mg/m³; USA (OSHA)

TWA (Inhalation): 5 mg/m³; USA (NIOSH)

TWA (Inhalation): 5 mg/m³; USA (OSHA)

PEL (Inhalation): 5 mg/m³; USA (Cal/OSHA)

California permissible exposure limits for chemical contaminants (Title 8, Article 107)

8.2 Appropriate engineering controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits.

8.3 Individual protection measures, such as personal protective equipment (PPE)**Pictograms****Eye/face protection**

Tightly fitting safety goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Ensure that eyewash stations and/or safety showers are close to the workstation location if working with concentrated product.

Skin protection

Wear protective gloves. Consult manufacturer specifications for further information.

Body protection

Wear protective clothing. Clothing with full length sleeves and pants should be worn. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

No data available.

Control banding approach

No data available.

Environmental exposure controls

Do not let product enter drains.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties**

Appearance/form (physical state, color, etc.)

Red color liquid

Date of SDS Preparation/Revision: 2/2022

p. 4 of 8

Odor	Slight odor
Odor threshold	Slight odor
pH	7.00+/-
Melting point/freezing point	-60 to -9°C (-76 to 15.8°F)
Initial boiling point and boiling range	299.44-520°C (571- 968°F)
Flash point	>112°C (>233.6°F)
Evaporation rate	Non-volatile
Flammability (solid, gas)	No data available.
Upper/lower flammability limits	No data available.
Upper/lower explosive limits	No data available.
Vapor pressure	<0.5mmHg at 20°C
Vapor density	No data available.
Relative density	No data available.
Solubility(ies)	Not Soluble in water
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.
Explosive properties	No data available.
Oxidizing properties	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Contact with incompatible materials. Sources of ignition. Exposure to heat.

10.2 Chemical stability

Stable under normal storage conditions.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Excessive temperature, contact with any type of reactive chemicals

10.5 Incompatible materials

Avoid contact with Strong Alkalis, Oxidizers or any other type of reactive material.

10.6 Hazardous decomposition products

Mineral oil: Hazardous decomposition products formed under fire conditions. - Carbon oxides
Other decomposition products - No data available. In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Components:

White mineral oil: LD50 Oral - Rat - >5,000 mg/kg - Remarks: (OECD Test Guideline 401)

Symptoms (including delayed and immediate effects):

Inhalation: May cause respiratory irritation. Signs/symptoms may include burning pain in the nose and throat, coughing, wheezing.

Ingestion: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Skin corrosion/irritation

Causes skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

White mineral oil: LD50 Skin - Rabbit - >2,000 mg/kg - Remarks: (OECD Test Guideline 402)

Serious eye damage/irritation

Causes serious eye irritation. Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing.

Respiratory or skin sensitization

No data available on product.

White mineral oil: LD50 Inhalation - Rat - 5 mg/l - 4 h - Remarks: (OECD Test Guideline 403)

Germ cell mutagenicity

No data available.

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available.

Summary of evaluation of the CMR properties

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

Additional information

No data available.

SECTION 12: Ecological information**Toxicity**

No data available on product

Components:

White mineral oil: LC50 - Oncorhynchus mykiss (rainbow trout) - >100 mg/l - 96 h - Remarks: (OECD Test Guideline 203)

White mineral oil: LC50 - Daphnia magna (water flea) - >100 mg/l - 48 h - Remarks: (OECD Test Guideline 202)

Persistence and degradability

No data available on product

Bioaccumulative potential

No data available on product

Mobility in soil

No data available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

No data available.

SECTION 13: Disposal considerations**Disposal of the product**

Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

Disposal of contaminated packaging

Dispose of as unused product.

Waste treatment

Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable federal, state and local regulations.

Sewage disposal

Avoid runoff into storm sewers and ditches which lead to waterways.

Other disposal recommendations

Triple rinse the empty containers with water before disposal to be reconditioned or land fill or garbage.

SECTION 14: Transport information**DOT (US)**

UN Number: NA

Class: NA

Packing Group: NA

Proper Shipping Name: NON-REGULATED MATERIALS

Reportable quantity (RQ): NA

Marine pollutant: No

Poison inhalation hazard: No

IMDG

UN Number:

Class:

Packing Group:

EMS Number:

Proper Shipping Name:

IATA

UN Number:

Class:

Packing Group:

Proper Shipping Name:

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations specific for the product in question****SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazards

Chronic health Hazards

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Toxic Substances Control Act (TSCA) Inventory

All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

White mineral oil: CAS-No. 8042-47-5

New Jersey Right To Know Components

White mineral oil: CAS-No. 8042-47-5

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.


H-3814

SAFETY DATA SHEET

HMIS Rating

H-3814	
HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B

NFPA Rating



SECTION 16: Other information

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall manufacturer be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if manufacturer has been advised of the possibility of such damages.